

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM

# LISTING SERVICE

**LISTING No.** 2620-1583:100

Page 1 of 1

**CATEGORY:** Wallcovering (Interior)

**LISTEE:** OMNOVA Solutions Inc., 133 Yorkville Road East, Columbus, MS 39703  
Contact: Dan Jackson (662) 329-5553 FAX (662) 329-7776

**DESIGN:** Type I, Type II (19.5-24 oz), Type II (25-28 oz) and Type II Expanded vinyl wallcovering materials. Refer to listee's data sheet for detailed product description and operational considerations.

<b>RATING:</b>	<i>Type I</i>	<i>Type II (19.5-24 oz)</i>	<i>Type II (25-28 oz)</i>	<i>Type II Expanded</i>
Flame Spread	10	10	10	25
Smoke Developed	25	5	10-45	45

**INSTALLATION:** In accordance with listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction.

**MARKING:** Listee's name, hazard classification and UL label.

**APPROVAL:** Listed as an interior finish material having a Class I flame spread rating. For indoor use only. Authority having jurisdiction should be consulted prior to installation.

04-28-2002 BH



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued: **JUNE 23, 2004**

*Listing Expires **June 30, 2005***

Authorized By: **DIANE K. AREND, Senior Deputy  
Program Manager**